SUBJECT INDEX

Adhesion, p. 20
Adhesives—aliphatic or aromatic, p. 107
Air emissions, pp. 117, 230
Air permeability, pp. 51, 244
Alpha-Lite, p. 244
Antimony oxide, p. 10
Anti-wicking properties, p. 94
Architectural end-uses, p. 94
Artificial leather, p. 298
ASTM E-84, 10
Automotive airbag, p. 244
  driver side, p. 244
  passenger side, p. 244
Automotive body cloth, p. 250
Breathability, p. 51
Calendering, p. 244
California TB-133, p. 10
Capillarity, p. 94
Carpet backcoating, p. 162
CCC-W-4080, p. 10
Coagulation curve, p. 298
Coated industrial fabrics, pp. 77, 94, 107
Coating and laminating equipment, p. 40
Coating application processes, p. 40
Coatings, p. 51
Composite, p. 129
Crack, pp. 129, 298
CT-IV, p. 51
Cure systems, p. 278
Curing, pp. 162, 278
Deterioration, p. 77
Discolorations, p. 77
Disposability, p. 117
DOS numbers, p. 10
Drying systems, p. 278
Emission, p. 162
Environment management systems, p. 117
Environmental legislation, p. 117
Environmental protection laws, p. 117
Environmentally friendly laminating, p. 250
Ethylbenzol, p. 162
EU-directives environment, p. 117
EU-legislation environment, p. 117
Extension, p. 20
Failure, p. 129
Finger-like layer, p. 298
Flame laminating, p. 250
Fluorescent markings, p. 2
Foam, p. 51
Foamcoating, p. 162
4-Phenylcyclohexen, p. 162
4-Vinylcyclohexen, p. 162
Fracture, p. 129
Graft technology, p. 244
Hazardous materials, p. 313
High coating adhesion, p. 94
High density wovens, p. 51
High performance composites, p. 313
Hotmelt laminating, p. 250
Hotmelt-screenprint process, p. 191
Improved polyester fibre, p. 94
Infrared, p. 278
Laminates, pp. 51, 322
Leg tear, p. 20
Life-cycle design, p. 117
Mass transfer, p. 322
MEA numbers, p. 10
Microfiltration, p. 183
Microorganism attack, p. 77
Microperm, p. 244
Microstructure, p. 298
Neoprene, p. 244
Nitrosamins, p. 162
Nonsolvent, p. 298
Nonwoven laminates containing cotton, p. 60
Nonwoven laminates for medical applications, p. 60
Nutrient sources, p. 77

SUBJECT INDEX

Adhesion, p. 20
Adhesives—aliphatic or aromatic, p. 107
Air emissions, pp. 117, 230
Air permeability, pp. 51, 244
Alpha-Lite, p. 244
Antimony oxide, p. 10
Anti-wicking properties, p. 94
Architectural end-uses, p. 94
Artificial leather, p. 298
ASTM E-84, 10
Automotive airbag, p. 244
  driver side, p. 244
  passenger side, p. 244
Automotive body cloth, p. 250
Breathability, p. 51
Calendering, p. 244
California TB-133, p. 10
Capillarity, p. 94
Carpet backcoating, p. 162
CCC-W-4080, p. 10
Coagulation curve, p. 298
Coated industrial fabrics, pp. 77, 94, 107
Coating and laminating equipment, p. 40
Coating application processes, p. 40
Coatings, p. 51
Composite, p. 129
Crack, pp. 129, 298
CT-IV, p. 51
Cure systems, p. 278
Curing, pp. 162, 278
Deterioration, p. 77
Discolorations, p. 77
Disposability, p. 117
DOS numbers, p. 10
Drying systems, p. 278
Emission, p. 162
Environment management systems, p. 117
Environmental legislation, p. 117
Environmental protection laws, p. 117
Environmentally friendly laminating, p. 250
Ethylbenzol, p. 162
EU-directives environment, p. 117
EU-legislation environment, p. 117
Extension, p. 20
Failure, p. 129
Finger-like layer, p. 298
Flame laminating, p. 250
Fluorescent markings, p. 2
Foam, p. 51
Foamcoating, p. 162
4-Phenylcyclohexen, p. 162
4-Vinylcyclohexen, p. 162
Fracture, p. 129
Graft technology, p. 244
Hazardous materials, p. 313
High coating adhesion, p. 94
High density wovens, p. 51
High performance composites, p. 313
Hotmelt laminating, p. 250
Hotmelt-screenprint process, p. 191
Improved polyester fibre, p. 94
Infrared, p. 278
Laminates, pp. 51, 322
Leg tear, p. 20
Life-cycle design, p. 117
Mass transfer, p. 322
MEA numbers, p. 10
Microfiltration, p. 183
Microorganism attack, p. 77
Microperm, p. 244
Microstructure, p. 298
Neoprene, p. 244
Nitrosamins, p. 162
Nonsolvent, p. 298
Nonwoven laminates containing cotton, p. 60
Nonwoven laminates for medical applications, p. 60
Nutrient sources, p. 77

Permalight, p. 2
Photoluminescent fabric-backed vinyl, p. 2
Photoluminescent markings, p. 2
Pittsburgh toxicity test, p. 10
Plasticizers, p. 77
Pollution abatement, p. 230
Polyurethane film, p. 298
Porous film, p. 298
Precipitation curve, p. 298
Protective clothing, pp. 2, 313
PVC-coated polyester fabrics, p. 20
Radiation curable coatings, p. 40
Recycling of waste fibers, p. 117
Reevair, p. 244
Reflective markings, p. 2
Residual monomers, p. 162
Screen technology, p. 51
Semipermeable membranes, p. 322
Silicone, p. 244
Skin layer, p. 298
Skin model test, p. 51
Slotted distribution system, p. 51
Spin finish, p. 77
Sponge-like layer, p. 298
Styrene, p. 162
Synthetic latex, p. 162
Technical textiles, pp. 117, 138
Ternary diagram, p. 298
Textile coatings, p. 152
Textile printing, p. 152
Textile waste disposal, p. 117
Thermal conductivity, p. 51
Thermo-physiological, p. 51
Trapezoidal tear, p. 20
Tufted carpets, p. 162
UBC-42-2, p. 10
Ultrafiltration, p. 183
UV-curing, p. 152
UV-inks, p. 152
Vinyl wallcovering, p. 10
Volatile organic solvents, p. 117
Waste management, p. 117
Waste minimization, p. 230
Water-based backcoatings, p. 210
Water impermeability, p. 51
Water vapor diffusion, p. 322
Water vapor permeability, p. 51
Whiteness degree, p. 107
Yellowing, p. 107
Yield-tensile strength-coated, p. 20
Yield-tensile strength-loomstate, p. 20
Zinc borate, p. 10

AUTHOR INDEX

Augustus, J., p. 183
Barden, B. L., p. 10
Bez, W., p. 162
Carroll, T. R., p. 313
Charmchi, M., p. 322
Chu, C., p. 298
Damewood, J., p. 244
Dean, J. F., p. 230
Duckett, K. E., p. 60
Eichert, U., pp. 20, 77, 94, 107
Gantenbein, W., p. 278
Gibson, P., p. 322
Gleaves, R. J., p. 230
Gosavi, N., p. 60
Greer, R., pp. 40, 287
Harris, D., p. 210
Holweg, R., p. 152
Hopkins, J., p. 250
Kannekens, A., p. 51
Kendrick, C., p. 322
Kennedy, T. C., p. 129
Krijnen, E., p. 152
Mao, Z., p. 298
Marsman, M., p. 152
Nemoz, G., p. 138

(continued)

(author index continued)
Rathi, S. C., p. 298
Rivin, D., p. 322
Shishoo, R. L., p. 117
Sicuranza, L., p. 322
Simpson, U., p. 2
Smith, W. C., p. 203
Sotton, M., p. 138
Stelling, P., p. 40
Wadsworth, L. C., p. 60
Welter, C., p. 191
Yan, H., p. 298